
ROMANO
Indoor & Outdoor Solutions

SPEC SHEET

ARTUSI / INDUCTION COOKTOP

90cm Induction Cooktop with Integrated Downdraft



RANGE
Classic
TYPE
Induction cooktop
WIDTH
90 cm
FUEL
Induction
FINISHES
Black glass
CODE
AID864DD

WARRANTY (DOMESTIC USE)

Parts and labour: 2 years / Extra when registered: 3 years (5 years in total)

Conditions: domestic use; the extra 3 years needs the appliance registered with Artusi; indoor appliances used outdoors are covered for 3 months only. Summary of the Artusi warranty, checked 7 November 2026. Full terms from Romano or the brand.

FEATURES

- Built-in downdraft extraction, no overhead rangehood needed
- Up to 620 m^3/h airflow with 3 speeds plus boost
- 4 zones with bridging on the right side
- Touch and slide controls, 9 power levels
- Ducted or recirculating installation

DIMENSIONS

The dimension drawing and full specifications from Artusi follow on the next page.


Romano Indoor & Outdoor Solutions, 4/126 Canterbury Rd, Kilsyth South VIC 3137. 03 9720 4633. sales@romanoios.com.au

90CM INDUCTION COOKTOP WITH INTEGRATED DOWNDRAFT HOOD

MODEL AID864DD

ARTUSI
THE ART OF LIVING

COMING SOON



MADE IN ITALY | 24 MONTH WARRANTY | 90CM | 4 ZONES | 9 HEAT LEVELS

BOOST FUNCTION | AUTO PAN DETECTION | TOUCH CONTROL | BELL TIMER | LOW NOISE

WATCH THE TEASER HERE





PRODUCT INFORMATION

FINISH

- Black ceramic glass

FEATURES

- Touch & slide control operation
- 9 power levels
- Pause & Recall mode
- Keep warm option
- Automatic pot detection
- Fast automatic heating will reach cooking temperature quicker
- Minute minder: facilitates a timer to alert cooking time and over cooking
- Fixed central grill for ventilation and extraction of cooking fumes
- Easy removable catchment tray
- Creative motor design allows for multiple installation types without the compromise of kitchen space

SAFETY

- Child safety lock
- Overheat safety switch off & Operating time limiter
- Automatic pan detection
- Residual heat indicator (H)

CLEANING

- Easy clean surface

ZONES

- 4 cooking zones
- Boost mode
- Zone bridging option (right side only)
- 2 x rectangle zones can be converted into one large rectangle zone
  2 x 1500-2000W
- 2 x circular zones
  1 x 1200-1600W
  1 x 1500-2000W
- Max. Power: 7200W

HOOD ASPIRATION SYSTEM

- Maximum airflow (IEC 61591) 620 m3/h
- Pressure (Pa):549
- Motor Power (W): 275
- Noise level at maximum speed db(A):67
- Touch controls
- 3 speed + boost
- Delayed switch off timer
- Filter replacement alarm
- Filter cleaning reminder
- Optional Plasma filter model is available from Artusi
- Charcoal Filter kit is available from Artusi. Code: E005KMP010301

POWER CONSUMPTION

- Power requirement: Hard Wired
- Total electrical load: 7.2kW

ARTUSI THE ART OF LIVING
NOW WITH 5 YEAR WARRANTY
SIMPLY REGISTER YOUR ARTUSI APPLIANCE AT ARTUSI.COM.AU
*CONDITIONS APPLY

EAN 9347777004284

AR13052022

DISCLAIMER

Eurolinx PTY LTD, is continually seeking ways to improve the design specifications, aesthetics and production techniques of its products. As a result alterations to our products and designs take place continually. Whilst every effort is made to produce information and literature that is up to date, this brochure should not be regarded as an infallible guide to the current specifications, nor does it constitute an offer for the sale of any particular product. Product dimensions indicated in our literature is indicative only. Actual product only should be used to define dimension cut outs. Distributors, and retailers are not agents of Eurolinx and are not authorized to bind Eurolinx by any express or implied undertaking or representation.

FOLLOW US ON: instagram.com/artusi_appliances www.linkedin.com/company/eurolinx-pty-ltd-t-a-ilve/

Australia National Telephone Number 1300 (694 583) **New Zealand Telephone Number 64 3 344 5913**
Artusi showroom hours: Tuesday to Friday - 9am-5pm, Saturday - 10am-4pm, Sunday and Monday - closed
*** Melbourne showroom hours:** Tuesday to Saturday - 10am-4pm

artusi.com.au

NSW & ACT (Head Office)
48-50 Moore Street
Leichhardt
F 02 8569 4699

QLD
1/42 Cavendish Road
Coorparoo
F 07 3397 0850

WA & NT
Unit 10/55 Howe Street
Osborne Park
F 08 9201 9188

New Zealand
PO Box 11.160
Sockburn Christchurch
F 03 344 5906

90CM INDUCTION COOKTOP WITH INTEGRATED DOWNDRAFT HOOD

MODEL AID864DD

ARTUSI
THE ART OF LIVING

COMING SOON



EASY CLEANING
The grease filter and the steel drip pan designed to catch grease and liquids can be lifted out even with the flap in place. The glass flap can also be removed completely to make it easier to clean inside.

SAFETY
All liquids, including condensation, are collected in an internal tray complete with drain valve. An electronic sensor warns when the tray is full and, for safety reasons, stops motor operation until it has been emptied.

THOUGHTFUL MOTOR LOCATION
The motor is located in the plinth, away from the user, making it quieter and easier for the induction top to be serviced without having to remove the hob from the bench top.

ADAPTABILITY AND DESIGN FREEDOM
The product can be installed in any base unit measuring at least 90cm wide and 60cm deep. It is telescopic in both height and depth and, for deeper base units, the motor can easily be rotated and located at the back.

PAUSE FUNCTION AND RECALL
By touching a key both the heating and the timer are locked, by touching the same key the initial conditions are restored

POTS DETECTOR
If there are no pots on the cooking zone, when the appliance is switched on heat will not be activated. If, in 10 minutes time, you place the pan on the cooking zone, the zone will detect it and switches on to the set level. When you remove the pan from the cooking area, the power supply stops. If you place a pot with a smaller diameter on the cooking zone, the zone will use only the energy needed to heat it.

DISCLAIMER
Eurolinx PTY LTD, is continually seeking ways to improve the design specifications, aesthetics and production techniques of its products. As a result alterations to our products and designs take place continually. Whilst every effort is made to produce information and literature that is up to date, this brochure should not be regarded as an infallible guide to the current specifications, nor does it constitute an offer for the sale of any particular product. Product dimensions indicated in our literature is indicative only. Actual product only should be used to define dimension cut outs. Distributors, and retailers are not agents of Eurolinx and are not authorized to bind Eurolinx by any express or implied undertaking or representation.

FOLLOW US ON: instagram.com/artusi_appliances www.linkedin.com/company/eurolinx-pty-ltd-t-a-ilve/

Australia National Telephone Number 1300 (694 583) New Zealand Telephone Number 64 3 344 5913 artusi.com.au
Artusi showroom hours: Tuesday to Friday - 9am-5pm, Saturday - 10am-4pm, Sunday and Monday - closed
*** Melbourne showroom hours:** Tuesday to Saturday - 10am-4pm

NSW & ACT (Head Office)
48-50 Moore Street
Leichhardt
F 02 8569 4699

QLD
1/42 Cavendish Road
Coorparoo
F 07 3397 0850

WA & NT
Unit 10/55 Howe Street
Osborne Park
F 08 9201 9188

New Zealand
PO Box 11.160
Sockburn Christchurch
F 03 344 5906