ROMANO
Indoor & Outdoor Solutions

SPEC SHEET

BOSCH / RANGEHOOD

Series 4 90cm Slideout Rangehood



RANGE
Series 4
TYPE
Rangehood
WIDTH
90 cm
FINISHES
Silver metallic
CODE
DFS097A51A

WARRANTY (DOMESTIC USE)

Manufacturer's warranty: 2 years

Conditions: domestic use; proof of purchase; bought and used in Australia. Summary of the Bosch warranty terms and conditions, checked 7 November 2026. Full terms from Romano or the brand.

FEATURES

- Slide-out visor hides under the cabinet
- Up to 729 m^3/h extraction in boost
- 3 LED lights
- Washable stainless steel grease filters
- Ducted or recirculating

DIMENSIONS

The dimension drawing and full specifications from Bosch follow on the next page.

Series 4, Slideout rangehood, 90 cm, Silver metallic
DFS097A51A



Slideout rangehood: built-in design that integrates with kitchen cabinetry for a clean finish.

- **SilentPowerDrive**: The quiet and powerful motor for rangehoods.
- **Intensive speed with reset**: Clears strong odours, then automatically returns to normal.
- **Metal grease filters**: Easy to clean, dishwasher safe design for fresher kitchen air.
- **LED lighting**: Energy-efficient, bright, even cooktop illumination.
- **Push button control**: For simple and convenient adjustment of your rangehood settings.

DSZ4920	Installation kit for 90cm wide wall unit
DWZ2IT1I4	Clean Air Standard recirculation kit

Typology:	Pull-out
Length electrical supply cord:	175 cm
Required niche size for installation (HxWxD):	385 x 524.0 x 290 mm
Height of the chimney:	GENERAL.N_A mm
Minimum distance above an electric cooktop:	600 mm
Minimum distance above a gas cooktop:	650 mm
Net weight:	13.4 kg
Type of control:	Electronic
Number of power settings:	3-stages + intensive setting
Max. air extraction:	397 m^3/h
Boost position output recirculating:	628 m^3/h
Max. air recirculation:	358 m^3/h
Boost position air extraction:	729 m^3/h
Number of lights:	3
Noise level:	53 dB(A) re 1 pW
Diameter of air outlet:	150 mm
Grease filter material:	Washable stainless steel
EAN code:	4242005252459
Connection rating:	146 W
Fuse protection:	10 A
Voltage:	220-240 V
Frequency:	50; 60 Hz
Plug type:	Standard 10 Amp plug
Installation type:	Built-in

4 242005 252459

Pages from Bosch's own specification. Ask us about this product, we're happy to help.
Romano Indoor & Outdoor Solutions, 4/126 Canterbury Rd, Kilsyth South VIC 3137. 03 9720 4633. sales@romanoios.com.au

Series 4, Slideout rangehood, 90 cm, Silver metallic
DFS097A51A

Slideout rangehood: built-in design that integrates with kitchen cabinetry for a clean finish.

Variant
- Appliance width: 898 mm
- Suitable for ducted or recirculated extraction
- Accessory required for recirculation mode: Standard recirculation kit

Design
- Appliance colour: metallic silver

Comfort
- Electronic controls with low-lift push buttons
- Electronic controls via Push button controls with LED display
- Push button controls for power and light
- 3 power settings plus intensive setting
- Intensive operation automatic revert - 6min
- Automatic after running (10 minutes)
- 3 x LED Lights
- Colour Temperature: 3500 K
- Light Intensity: 355 lux

Cleaning
- Stainless steel filter covers
- Dishwasher safe Metal grease filters

Performance
- Extraction rate according to EN 61591 ø 15 cm: max. Normal use 397 m^3/h. Intensive 729 m^3/h
- Noise level according to EN 60704-3 exhaust air:
- Max. normal use: 53dB(A) re 1 pW
- Intensive: 69 dB(A) re 1 pW
- Noise min./max. Normal Level: 41/53 dB
- With the Clean Air Plus recirculation kit (available as accessory) your appliances reaches:
- Extraction rate in recirculation mode:
- Max. normal use: 358m^3/h
- Intensive: 628m^3/h
- Noise level in recirculation mode:
- Max. normal use: 60dB(A) re 1 pW
- Intensive: 71 dB(A) re 1 pW
- 2 high-performance fans, SilentPowerDrive: Efficient BLDC technology
- SilentPowerDrive: Efficient BLDC technology

Planning and installation information
- Appliance dimensions (HxWxD): 426 x 898 x 290 mm
- Easy installation system
- Install into a 60cm cupboard (or 90cm with optional accessory)
- Installation dimensions (HxWxD): 385 x 524 x 290 mm
- Diameter pipe Ø 150 mm (Ø 150 mm enclosed)
- Electrical cable length 1.75 m

Consumption Data
- Power rating: 146 W

Pages from Bosch's own specification. Ask us about this product, we're happy to help.
Romano Indoor & Outdoor Solutions, 4/126 Canterbury Rd, Kilsyth South VIC 3137. 03 9720 4633. sales@romanoios.com.au