
ROMANO
Indoor & Outdoor Solutions

SPEC SHEET

BOSCH / INDUCTION COOKTOP

Series 8 90cm FlexInduction Cooktop



RANGE
Series 8
TYPE
Induction cooktop
WIDTH
90 cm
FUEL
Induction
FINISHES
Black glass
CODE
PXV975DV1E

WARRANTY (DOMESTIC USE)

Manufacturer's warranty: 2 years

Conditions: domestic use; proof of purchase; bought and used in Australia. Summary of the Bosch warranty terms and conditions, checked 7 November 2026. Full terms from Romano or the brand.


FEATURES

- 2 FlexInduction zones plus a 32cm triple ring zone
- DirectSelect Premium touch controls
- PerfectFry frying sensor and PowerMove Plus
- Energy consumption display
- Home Connect with hob-to-hood control

DIMENSIONS

The dimension drawing and full specifications from Bosch follow on the next page.

Series 8, Flex induction cooktop, 90 cm, surface mount with frame PXV975DV1E





HEZ32WA00	Wireless food thermometer
HEZ390230	System pan diameter 21cm
HEZ390522	Griddle Plate
HEZ9FE280	Iron pan Ø 18 / 28 cm
HEZ9FF010	Flex Pan, large
HEZ9FF030	Flex Pan set, 3 pcs.
HEZ9FF040	Flex Pan set, 4 pcs.
HEZ9SE060	6 pieces Set
HEZ9TY010	Teppan Yaki

The FlexInduction cooktop: you can place multiple pots and pans or large cookware anywhere on the flexible cooking zone.

- **FlexInduction**: Combines two cooking zones into one large, even heating area for flexible cooking.
- **DirectSelect Premium**: Easy, direct control on a spacious 30cm panel with 17 precise power levels.
- **Power Boost**: Up to 35% faster heating compared to highest power level.
- **PerfectFry sensor**: Automatically regulates the pan temperature to prevent food from burning.
- **Move Mode**: Automatically divides the cooking zone into three pre-set power levels for boiling, cooking and simmering.

Product name/family:	Cooking zone ceramic
Built-in / Free-standing:	Built-in
Energy input:	Electric
Total number of positions that can be used at the same time:	5
Required niche size for installation (HxWxD):	51 x 880-880 x 490-500 mm
Width of the appliance:	916 mm
Dimensions (HxWxD):	51x916x527 mm
Dimensions of the packed product (HxWxD):	126x1073x603 mm
Net weight:	20.2 kg
Gross weight:	22.9 kg
Residual heat indicator:	Yes
Location of control panel:	Front
Basic surface material:	Ceramic glass
Color of surface:	Black, Alu, brushed
Length electrical supply cord:	110 cm
EAN code:	4242002944340
Fuse protection:	GENERAL.N_A A
Voltage:	220-240 V
Frequency:	60; 50 Hz

4 242002 944340

Pages from Bosch's own specification. Ask us about this product, we're happy to help.
Romano Indoor & Outdoor Solutions, 4/126 Canterbury Rd, Kilsyth South VIC 3137. 03 9720 4633. sales@romanoios.com.au

Series 8, Flex induction cooktop, 90 cm, surface mount with frame PXV975DV1E

The FlexInduction cooktop: you can place multiple pots and pans or large cookware anywhere on the flexible cooking zone.

- 90 cm cooktop: space for 5 pots or pans

Flexibility of cooking zones

- 2 FlexZones: use cookware of any shape or size anywhere within the 40cm long zone.
- Triple ring zone: space for extra large cookware (e.g. paella pans) on the expandable cooking zone.
- Cooking zone front left: 230 mm, 200 mm, 2.2 KW (max. power 3.7 KW)
- Cooking zone rear left: 230 mm, 200 mm, 2.2 KW (max. power 3.7 KW)
- Cooking zone middle: 210 mm, 260 mm, 320 mm, 2.2 KW (max. power 3.7 KW)
- Cooking zone rear right: 230 mm, 200 mm , 2.2 KW (max power 3.7 KW)
- Cooking zone front right: 230 mm, 200 mm, 2.2 KW (max. power 3.7 KW)

Comfort & Convenience

- Direct Select Premium Touch Control: directly control the power on the extra large illuminated touch bar (invisible when switched off).
- 17 power levels for each cooking zone: precisely adapt the heat with 17 power levels (9 main levels and 8 intermediate levels).
- Keep warm function - low setting for keeping food warm at the touch of a button: keep dishes warm at preset low power level.
- Timer with automatic switch off for all zones: switches off the cooking zone at the end of the time set (e.g. for boiled eggs).
- Count-down timer: an alarm sounds at the end of the time set (e.g. for pasta).
- Count-up timer: shows how much time has passed since starting the timer (e.g. for potatoes).

Time saving & efficiency

- Power Boost for all zones : boil water faster with up to 50% more power than at the highest standard level.
- ShortBoost function - reduce the time to heat up pans: heat up pans more quickly than at the highest standard level while protecting the pan coating.
- Move Mode - 3 Automatic Power Levels: increase or decrease the power level simply by moving the pot forwards or backwards.
- QuickStart: Quick and automatic first pot detection: when switching on, the cooktop automatically selects the cooking zone with cookware on it.
- ReStart - Quickly reinstates previous settings: in case of unintentional switch-off, restore all previous settings by switching on the cooktop again within 4 seconds.

Cooking assistance

- FryingSensor with 5 temperature settings: prevents scorching with the automatic temperature regulation of the integrated sensor.
- Cooktop Cooking Assistant (only via Home Connect App): easily find the right temperature setting for a certain dish via the Home Connect app.
- Cooking zones will automatically join and separate based on the shape and size of the cookware placed.
- Automatic Setting Transfer: when moving a pot to a different cooking zone, transfer all previous settings to the new zone at the touch of a button.
- Automatic zone selection: when switched on, the cooktop automatically selects the cooking zone on which a new cookware is placed.
- When moving a pot on the Flex zone, the settings adjust instantly and the cooking zone adapts to the size of the cookware

Connectivity

- Remote Monitoring and Control: check if the cooktop is switched off even when not at home, and find recipes or additional functions in the Home Connect app.
- Cook2Hood control (with matching rangehood): automatically activates the rangehood when cooking, thanks to the WiFi connection of cooktop and suitable rangehood.

Design

- Stainless steel side profiles with beveled front

Safety

- Digital 2-stage residual heat indicator: indicates which cooking zones are still hot or warm.
- Childproof lock: prevent unintended activation of the cooktop.
- WipeProtection: wipe overboiled liquids without unintentionally changing settings (blocking all touch buttons for 30 seconds).
- Main switch: switch off all cooking zones at the touch of a button.
- Automatic safety switch-off: for safety reasons, heating stops after a preset time without interaction.
- Energy consumption display: shows the electricity consumption of the last cooking process.

Installation

- Dimensions of the product (HxWxD mm): 51 x 916 x 527
- Required niche size for installation (HxWxD mm) : 51 x 880 x (490 - 500)
- Min. worktop thickness: 16 mm
- Connected load: 11.1 KW
- Power cord: 1.1 m, Cable included
- PowerManagement Function: enables the total power of the cooktop to be limited if necessary (for suitability and installation, consult a licensed electrician).

Pages from Bosch's own specification. Ask us about this product, we're happy to help.
Romano Indoor & Outdoor Solutions, 4/126 Canterbury Rd, Kilsyth South VIC 3137. 03 9720 4633. sales@romanoios.com.au