ROMANO
Indoor & Outdoor Solutions

SPEC SHEET

SCHWEIGEN / RANGEHOOD

WM2190 Silent Pyramid Wallmount Rangehood



RANGE
Silent Wallmount
TYPE
Rangehood
WIDTH
89.8 cm
FUEL
Electric
FINISHES
Stainless steel
CODE
WM2190S / WM2190-6S

WARRANTY (DOMESTIC USE)

Silent and Design rangehoods: 5 years / Isodrive motor: 10 years (replacement in years 1 to 5, discounted replacement in years 6 to 10)

Conditions: domestic use (commercial use 3 months); installed to Schweigen's instructions; proof of purchase. Summary of the Schweigen warranty sheet, checked 7 November 2026. Full terms from Romano or the brand.

FEATURES


- Italian-influenced pyramid canopy
- Height adjustable 720 to 1190 mm
- Silent external or inline Isodrive motor, 900 or 1600 m3/h
- 5 speeds, 15 minute auto shut-off, 2 LED lights
- Also in 60 cm (WM2190-6S)

DIMENSIONS

The dimension drawing and full specifications from Schweigen follow on the next page.

WM2190-6S, WM2190S // 60cm & 90cm // SILENT


// WM2190S (90cm)


// WM2190-6S (60cm)



The WM2190 boasts an influence of Italian design for professional cooking with the utmost element of style. The pyramid shaped angles and stainless-steel finish makes a striking visual statement in any kitchen. Fan speed is controlled by the stainless steel selector switches on the front of the canopy. Designed to minimise the edges where grease and oil can lodge, Schweigen's high-quality filters are easy to remove and dishwasher safe, coming with a lifetime warranty.

DESCRIPTION

- stainless steel finish
- silent Isodrive® motor system
- soft-touch controls, digital display
- 5 x speed levels
- 15 minute delay timer with auto shut-off
- 2 x LED lights
- stainless steel, dishwasher safe mesh filters
- 10 Year Warranty on Isodrive® motor
- 5 Year Warranty on canopy

TECHNICAL DATA

WM2190-6S

- dimensions: (W x D) 600 x 500 mm
- 2 x mesh filters

WM2190S

- dimensions: (W x D) 898 x 500 mm
- 3 x mesh filters

ISODRIVE® OPTIONS


- **ST / STINL** single motor systems
  - 900 m³/h airflow
  - 200mm SteelFlex™
  - rated power: 57W
  - ST (External): install roof/wall
  - STINL (Inline): wall vent included
- **SP / SPINL** single motor systems
  - 1600 m³/h airflow
  - 200mm SteelFlex™ ducting (6m)
  - rated power: 155W
  - SP (external): install roof/wall
  - SPINL (inline): wall vent included


BAFFLES OPTIONAL

5YR WARRANTY

10YR MOTOR WARRANTY

WM2190-6S, WM2190S // 60cm & 90cm // **SILENT**





Model:	WM2190-6S, WM2190S
Feeding Voltage:	220-240V 50Hz
Max Lamp Power:	2 x 3W