ROMANO
Indoor & Outdoor Solutions

SPEC SHEET

WESTINGHOUSE / RANGEHOOD

60cm Fixed Rangehood



TYPE
Rangehood
WIDTH
60 cm
FINISHES
Stainless steel, White
CODE
WRF613SA / WRF613WA

WARRANTY (DOMESTIC USE)

Parts and labour: 24 months

Conditions: domestic use; proof of purchase; installed to the manufacturer's instructions. Summary of the Westinghouse warranty statement, checked 7 November 2026. Full terms from Romano or the brand.

FEATURES

- Universal fixed rangehood
- Push button controls
- 360 m3/h maximum airflow
- 3 fan speeds

DIMENSIONS

The dimension drawing and full specifications from Westinghouse follow on the next page.

Westinghouse

WRF613SA

A stainless steel finish, universal rangehood with inter-locking push button controls, 600mm in width, with a 3 speed dual centrifugal fan.



WRF613SA - 60cm fixed stainless steel rangehood. westinghouse.com.au

Westinghouse WRF613SA

Product Details

FEATURES

Auto thermal cutout safety switch	Push button controls	3 fan speeds	2 x filters
Washable filters	Optional carbon filter(s)	Front re-circulating option	Top and rear duct hole options
Two halogen lights			

BENEFITS

Easy installation
The rangehood is easily installed either partially behind cupboard doors or simply under cabinetry.

Easy to clean
Removable filters for easy cleaning, and the rest of the rangehood is easy to maintain - simply wipe down.

Recirculation
The rangehood can recirculate into the kitchen if it is not possible to duct to the exterior. Carbon filters are recommended for recirculation.

Simple operation
Simple to use push button controls with 3 power settings to provide flexible air movement to manage diverse cooking demands.

Pages from Westinghouse's own specification. Ask us about this product, we're happy to help.
Romano Indoor & Outdoor Solutions, 4/126 Canterbury Rd, Kilsyth South VIC 3137. 03 9720 4633. sales@romanoios.com.au