ROMANO
Indoor & Outdoor Solutions

SPEC SHEET

FIENZA / HEATED TOWEL RAILS

Lillian Heated Towel Rail



RANGE
Lillian
TYPE
Heated towel rail
SIZES
600 x 1200 mm, 600 x 800 mm, 600 x 450 mm
BARS
9
POWER
110 watts
CONNECTION
Hardwired
FINISHES
Brushed Nickel, Chrome, Matte Black, Urban Brass
CODE
81060120BN / 81060120 / 81060120MB / 81060120UB
MATERIAL
Stainless steel

WARRANTY (DOMESTIC USE)

Heated towel rail structure: 15 years replacement parts or product, 1 year labour / Heated towel rail electrical: 5 years replacement parts or product, 1 year labour / Heated towel rail finish, chrome: 15 years replacement parts

Conditions: installed by a licensed tradesperson; proof of purchase; original owner. Summary of the Fienza warranty (from 1 September 2023), checked 7 November 2026. Full terms from Romano or the brand.

FEATURES

- Modern vintage design
- Heat transfer dries towels faster and more evenly keeping them fresh
- 9 bar ladder rails
- Concealed (hard-wired) wiring installation
- Power: 110 W on 600 x 1200, 75 W on 600 x 800, 47.5 W on 600 x 450

DIMENSIONS

The dimension drawing and full specifications from Fienza follow on the next page.

fienza


INSTALLATION GUIDE

Lillian

HEATED TOWEL RAIL

8106080

Concealed Wiring




PLEASE READ THROUGH THIS INSTALLATION GUIDE CAREFULLY BEFORE INSTALLING THE PRODUCT. Check the product thoroughly for damage. Installation is acceptance of goods supplied and will void warranty. Ensure all items meet your building or plumbing requirements before installation.

Specifications

Please refer to **fienza.com.au** for the latest product specifications before installing.

Overall Width	600 mm
Overall Height	800 mm
Overall Depth	93 mm
Voltage	220-240V
Power	75W
IP Rating	IP55
Wiring Method	Concealed
Wiring Positions	Top right or bottom left



Overview

All Fienza Heated Towel Rails are manufactured to the following standards and specifications:

- AS/NZ 3000
- Rated voltage – 220-240V
- IP Rating – IP55
- Touch temperature between 35°C and 60°C

The towel rail is designed for use in residential and hotel bathrooms and is intended for the purpose of drying towels and is therefore hot to touch. The towel rail MUST be installed as prescribed in accordance with local wiring rules and regulations, including the regulations covering installation of appliances and accessories in 'wet areas' such as bathrooms, showers and laundries. Installation should be in accordance with AS/NZS 3000.

PLEASE LEAVE THIS GUIDE WITH THE OWNER

Pages from Fienza's own specification. Ask us about this product, we're happy to help.
Romano Indoor & Outdoor Solutions, 4/126 Canterbury Rd, Kilsyth South VIC 3137. 03 9720 4633. sales@romanoios.com.au

fienza

INSTALLATION GUIDE


Safety Warnings & Information


As with any electrical appliance, you should be aware of basic safety precautions when using this heated towel rail. Please read these instructions and file for future reference.

The Heated Towel Rail in this installation guide is a dry element electric Heated Towel Rail. It should reach optimum operating temperature within 30 minutes of being switched on. Running temperature is approx. 35 degrees Celsius without a towel on the rail, 50-60 degrees Celsius with a towel on the rail. To dry the towel, it will take approx. 4 hours depending on ambient room temperature, the rail size, and the size and thickness of the towel.

1. This appliance MUST be installed by a licenced electrician, be protected by a suitably rated RCD circuit breaker and in accordance with the IP ratings for wet areas.
2. This appliance is not intended for use by persons (including children) with reduced physical, sensory, or mental capabilities, or lack of experience and knowledge, unless they have been given supervision or instruction concerning use of the appliance by a person responsible for their safety.
3. Children should be supervised to ensure that they do not play with the appliance.
4. For safety protection, this electrical appliance relies on the earth being connected to a residential device.
5. Use this appliance only on the voltage specified on the rating label.
6. The towel rail will get slightly hotter than normal during warmer weather and when insulated by towels.
7. **WARNING:** To avoid a hazard for very young children, this appliance should be installed so that the lowest heated rail is at least 600mm above the floor.
8. **DO NOT** immerse the towel rail in any liquid. It would be very dangerous to put the towels or anything else which has been in contact with hazardous liquids on this towel rail.
9. The power cord must be positioned so that it is not subject to splashing or ingress of moisture. The power cord should never touch heated surfaces. If the electrical cord or connection is damaged DO NOT attempt to repair, please contact the supplier.
10. To reduce the risk of injury, do not drape the power cord over the countertop or tabletop where it can be pulled down by children or tripped over.
11. A short power-supply cord has been provided to reduce risks of being entangled or tripping over.
12. Please ensure this device is installed, connected, and working correctly.

Product Components





Pages from Fienza's own specification. Ask us about this product, we're happy to help.
Romano Indoor & Outdoor Solutions, 4/126 Canterbury Rd, Kilsyth South VIC 3137. 03 9720 4633. sales@romanoios.com.au