ROMANO
Indoor & Outdoor Solutions

SPEC SHEET

THERMOGROUP / FLOOR AND WALL HEATING

Thermotouch Wi-Fi 5235w Programmable Thermostat



RANGE
Thermotouch
TYPE
Floor and wall heating
SIZES
W84 x H115 x D40 mm
CODE
5235W

WARRANTY (DOMESTIC USE)

Thermostats and accessories: 3 years replacement (12 months parts and labour) / Underfloor heating systems (Thermonet, Thermowire, Thermoscreed, Thermofoil, Thermoslab): Lifetime parts and labour / Thermorad in-wall

Conditions: Proof of purchase showing product code and date is needed, and the claim must fall inside the warranty period; The product must be installed correctly to the instructions and local regulations and used normally; The fault must be confirmed as a manufacturing fault or defect. Summary of the Thermogroup Warranty Information, checked 7 November 2026. Full terms from Romano or the brand.

FEATURES

- Control from anywhere with the SWATT app, up to 32 thermostats per app
- Max load 16 A, touch screen display
- Landscape or portrait mounting, white with black fascia plate available
- 3 year warranty

DIMENSIONS

The dimension drawing and full specifications from Thermogroup follow on the next page.

Specification Sheet **Thermotouch Wi-Fi 5235W**

thermotouch
INTELLIGENT HEATING CONTROLS



5235W

MADE IN EUROPE

An Underfloor Heating thermostat that allows you to control your electric Underfloor Heating system remotely

Thermotouch 5235W allows you to control your Underfloor Heating either via the colour touch screen or remotely through an app on your smart phone.

- Control your Underfloor Heating from anywhere via your smartphone*. Control from your apple or android smartphone via the SWATT app.
- Built-in ambient and external floor temperature sensor for accurate temperature control.
- Designed to be installed vertically or horizontally all from the one unit.
- Connects directly to your Wi-Fi network without the need for a hub. Control multiple thermostats all via the one app.
- Setup a personalised heating schedule for your Underfloor Heating to suit your lifestyle.
- Range of different heating modes including manual, programable, and holiday mode.

* Internet connection required



Floor temperature sensor should be installed in a conduit, within a clear area of the floor, and away from any other temperature influences.


Thermogroup
That little bit extra...

1300 368 631
sales@thermogroup.com.au
www.thermogroup.com.au

Specification Sheet — Thermotouch Wi-Fi 5235W


Wiring diagram

1. 220-240V AC Supply Neutral
2. 220-240V AC Supply Live
3. Underfloor Heating Live (Load L)
4. Underfloor Heating Neutral (Load N)
5. N/A
6. Floor sensor (no polarity)
7. Floor sensor (no polarity)



Box contents

1 x 5235W Thermostat
1 x Mounting Plate
1 x Fixing Bracket
1 x Installation Guide
1 x 3m Sensor probe
1 x 2m Sensor Conduit
2 x Fixing Screws



Technical data

Supply voltage	220-240V 50/60Hz
Maximum load	16A
Temperature range	5 ~ 40°C
Compatible sensors	6.8kΩ, 10kΩ, 12kΩ, 33kΩ, 47kΩ (@25°C)
Accuracy	±0.5°C
Warranty	3 years
IP rating	IP21
Width	84mm
Height	115mm
Depth	40mm (22mm in wall)
Wi-Fi	IEEE 802.11 b/g/n - 2.4GHz
Display	176x220 pixels TFT - resistive touch
Backup Storage	5 Years

Thermogroup
That little bit extra...

1300 368 631
sales@thermogroup.com.au
www.thermogroup.com.au

Pages from Thermogroup's own specification. Ask us about this product, we're happy to help.
Romano Indoor & Outdoor Solutions, 4/126 Canterbury Rd, Kilsyth South VIC 3137. 03 9720 4633. sales@romanoios.com.au