ROMANO
Indoor & Outdoor Solutions

SPEC SHEET

RINNAI / ELECTRIC FIREPLACE

EL 1300 Electric Fireplace



RANGE
EL Series
TYPE
Electric fireplace
WIDTH
130 cm
FUEL
Electric
OUTPUT OR CAPACITY
2.0 kW
FINISHES
Black
CODE
EL1300

WARRANTY (DOMESTIC USE)

Parts and labour: 5 years

Conditions: domestic use; installed by a licensed tradesperson to Rinnai's instructions; heat exchanger cover is pro rata after the first years where stated. Summary of the Rinnai warranty booklets, checked 7 November 2026. Full terms from Romano or the brand.

FEATURES

- 1300 mm inbuilt electric fireplace with glowing log fuel bed
- High definition flame projection onto angled glass, with smoke and spark effects
- Thermostatic room temperature control
- Optional ambient light kit and 25 mm or 50 mm trims
- Smart control with voice integration

DIMENSIONS

The dimension drawing and full specifications from Rinnai follow on the next page.

Rinnai



Luxury Ignited

Make a statement with the Rinnai EL Electric Fireplace, redefining home luxury with elegance and innovation. Designed to captivate, it features ultra-realistic flames powered by Truburn Flame Technology, dynamic glowing logs, and immersive sound effects that evoke the ambiance of a real fire.

With no flueing required, installation is effortless, simply plug in and transform any space into a refined sanctuary.

Smart control and voice integration allow seamless operation, while customisable flame effects let you tailor the atmosphere to suit your style. Available in four sizes (1000mm to 1800mm), and with 2kW & 3kW heating capacities*, the Rinnai EL range adapts to contemporary interiors with ease.

More than a fireplace, it's luxury ignited.

- Ultra-realistic customisable flames
- Advanced heating options (2kW and 3kW models*)
- Dynamic fuel bed with realistic glowing logs
- High-quality speakers deliver authentic fire sounds
- Versatile size options (1000mm - 1800mm)
- Smart control and voice integration



Rinnai EL 1000mm (EL 1000) - Front Installation

*2kW heating capacity: EL1000, EL1300. 3kW heating capacity: EL1500, EL1800.