ROMANO
Indoor & Outdoor Solutions

SPEC SHEET

RINNAI / HOT WATER STORAGE

HotFlo 170L Gas Storage Hot Water



RANGE
HotFlo Gas Storage
TYPE
Hot water storage
FUEL
Gas
OUTPUT OR CAPACITY
170 L
ENERGY RATING
4 star
FINISHES
Standard
CODE
GHF4170N / GHF4170L

WARRANTY (DOMESTIC USE)

Parts and labour: 1 year / Cylinder: free replacement if it fails within 8 years

Conditions: domestic use; installed by a licensed tradesperson to Rinnai's instructions; heat exchanger cover is pro rata after the first years where stated. Summary of the Rinnai warranty booklets, checked 7 November 2026. Full terms from Romano or the brand.

FEATURES

- 170 litre tank, suits up to 6 people depending on climate
- First hour delivery of 257 litres
- Vitreous enamel lined tank with anode
- Natural gas or propane, external installation only
- Not available in South Australia

DIMENSIONS

The dimension drawing and full specifications from Rinnai follow on the next page.

Rinnai



A cost effective replacement

8 YEAR CYLINDER WARRANTY*

Installation as fast and easy as the hot water it produces

Designed to be a quick, easy and cost effective replacement for your existing 3 or 4 star gas storage system, the Rinnai Hotflo range offers you a choice of 135 or 170 litre storage capacities and delivers mains pressure hot water to multiple taps at once.

Rinnai have optimised gas consumption to reduce energy usage without compromising on performance. This allows for sufficient first hour delivery and recovery capability whilst maintaining the life expectancy of the water heater.

We're at your service

The National Customer Care Centre provides first class service and maintenance of your system, ensuring it's running at its highest efficiency - so you can enjoy the Rinnai experience for many years to come.

Operating 5 days a week (Monday to Friday)

13 43 73

Features and Benefits

Warranty
8 year cylinder warranty. 1 year parts & labour

Safety
Thermostatically controlled with safety temperature shut off for added peace of mind.

Star Rating
4 Star energy rating.

Easy Changeover
Identical footprint to existing 3 & 4 star tanks for quick changeover. Hard water anode and LPG models available.

Quality
Vitreous enamel lined steel tank with inbuilt anode protection.

Failsafe
Pressure temperature relief valve supplied.

Flow Rate
Mains pressure hot water delivery.

Location
External use only.

