ROMANO
Indoor & Outdoor Solutions

SPEC SHEET

RINNAI / HOT WATER STORAGE

Hotflo 315L Electric Storage Hot Water



RANGE
Hotflo Electric Storage
TYPE
Hot water storage
FUEL
Electric
OUTPUT OR CAPACITY
315 L
FINISHES
Standard
CODE
EHFA315

WARRANTY (DOMESTIC USE)

Cylinder parts: 10 years / Labour: 3 years

Conditions: domestic use; installed by a licensed tradesperson to Rinnai's instructions; heat exchanger cover is pro rata after the first years where stated. Summary of the Rinnai warranty booklets, checked 7 November 2026. Full terms from Romano or the brand.

FEATURES

- 315 litre tank for larger families of 6 to 7 people
- Suitable for internal or external installation
- Vitreous enamel lined steel tank with anode
- Lead free design, dual handed connections
- Single or twin element versions

DIMENSIONS

The dimension drawing and full specifications from Rinnai follow on the next page.

Rinnai



Benefits at a glance

10 YEAR CYLINDER WARRANTY* 10 80L TO 400L MODELS

Hot water all year round

Our hardworking range of Hotflo Electric hot water storage systems provide a variety of features such as flexible installation options, Vitreous Enamel lined tanks and a generous 10 year warranty. Rinnai Hotflo Electric storage systems are available in various capacities. From our super compact 25 litre unit, through to our super sized 400 litre storage cylinder, these tanks are perfect for replacing an existing unit.

We're at your service

The National Customer Care Centre provides first class service and maintenance of your system, ensuring it's running at its highest efficiency - so you can enjoy the Rinnai experience for many years to come.

Operating 5 days a week (Monday to Friday)

13 43 73



Features and Benefits

Warranty
7 year cylinder warranty on 25L and 50L models
10 Year cylinder warranty on 80L to 400L models.

Quality
Class leading Rinnai quality and durability.

Elements
Single or twin element configurations.
Complete range of elements and anodes.

Range
Full range of capacities to suit all applications 25 to 400 litres.*

Location
25L to 400L models suitable for internal and external installations.

Connectability
Standard sizing perfect for emergency changeover with dual handed for flexible installation.

Sizing Guide

Tank size	No. of persons - Peak electric (Continuous tariff)		No. of persons - Off peak Electric	
	Warm climate	Cool climate	Warm climate	Cool climate
50 Litres	1	1	Not recommended	Not recommended
80 Litres	2 to 3	1 to 2	1 to 2	Not recommended
125 Litres	3 to 4	2 to 3	2 to 3	1 to 2
160 Litres	4 to 5	3 to 4	3 to 4	2 to 3
250 Litres	7 to 8	5 to 6	5 to 6	4 to 5
315 Litres	8 to 9	6 to 7	6 to 7	5 to 6
400 Litres	8 to 9	8+	8+	6+

*For full terms & conditions visit www.rinnai.com.au