ROMANO
Indoor & Outdoor Solutions

SPEC SHEET

RINNAI / GAS FIREPLACE

LS 1500 Gas Fireplace



RANGE
LS Series
TYPE
Gas fireplace
WIDTH
150 cm
FUEL
Gas
OUTPUT OR CAPACITY
9.2 kW
ENERGY RATING
5 star
FINISHES
Black frameless
CODE
KLS1500S / KLS1500D

WARRANTY (DOMESTIC USE)

Heat exchanger: 10 years (pro rata after year 5) / Parts and labour: 2 years

Conditions: domestic use; installed by a licensed tradesperson to Rinnai's instructions; heat exchanger cover is pro rata after the first years where stated. Summary of the Rinnai warranty booklets, checked 7 November 2026. Full terms from Romano or the brand.

FEATURES

- 1500 mm wide frameless linear firebox for large open plan rooms
- Single sided or double sided (see through) versions; optional peninsula kit on the double sided model gives a three sided look
- Realistic driftwood style log set with Flametech flame effect
- Wi-Fi and voice control via the Rinnai Fireplace App
- Power flued for flexible installation, natural gas or LPG

DIMENSIONS

The dimension drawing and full specifications from Rinnai follow on the next page.

LS Series | Specification Guide



Rinnai

LS 800F Gas Fire



5 Star Efficiency

Flametech™

Double-sided

Single-sided

2 Speed Fan

Preheat Function

Wi-Fi

Air Filter

Logset

Overheat Safety

Indoor-Outdoor

Made in NZ

Dimensions

	Height (mm)	Width (mm)	Depth (mm)	Outer Flue Diameter (mm)	Inner Flue Diameter (mm)
Appliance dimension	970	1245	435	75	50
Glass dimension	505	800	N/A		

Technical Information

Gas Input MJ/h Low	Gas Input MJ/h High	kW Output	Gas Type
14	35	8.3	NG & LPG

Room Sizing

Heats upto Capacity (m2)			
Very Cold	Cold	Cool	Mild
70	83	112	128

- 10 Year Heat Exchanger Warranty
- 2 Year Parts and Labour Warranty

Pages from Rinnai's own specification. Ask us about this product, we're happy to help.
Romano Indoor & Outdoor Solutions, 4/126 Canterbury Rd, Kilsyth South VIC 3137. 03 9720 4633. sales@romanoios.com.au