ROMANO
Indoor & Outdoor Solutions

SPEC SHEET

RINNAI / GAS FIREPLACE

LS 800F Gas Fireplace



RANGE
LS Series
TYPE
Gas fireplace
WIDTH
80 cm
FUEL
Gas
OUTPUT OR CAPACITY
8.3 kW
ENERGY RATING
5 star
FINISHES
Black frameless
CODE
LS800DF / LS800SF

WARRANTY (DOMESTIC USE)

Heat exchanger: 10 years (pro rata after year 5) / Parts and labour: 2 years

Conditions: domestic use; installed by a licensed tradesperson to Rinnai's instructions; heat exchanger cover is pro rata after the first years where stated. Summary of the Rinnai warranty booklets, checked 7 November 2026. Full terms from Romano or the brand.

FEATURES

- 800 mm wide, the most compact LS model, suits bedrooms and smaller living rooms
- Single sided or double sided versions
- Wood and stone burn media with Flametech flame effect
- Up to 8.3 kW heat output
- Wi-Fi compatible

DIMENSIONS

The dimension drawing and full specifications from Rinnai follow on the next page.

Romano Indoor & Outdoor Solutions, 4/126 Canterbury Rd, Kilsyth South VIC 3137. 03 9720 4633. sales@romanoios.com.au

LS Series | Specification Guide



Rinnai

LS 800F Gas Fire



5.0 5 Star Efficiency

Flametech™

Double-sided

Single-sided

2 Speed Fan

Preheat Function

Wi-Fi

Air Filter

Logset

Overheat Safety

Indoor-Outdoor

Made in NZ

Dimensions

	Height (mm)	Width (mm)	Depth (mm)	Outer Flue Diameter (mm)	Inner Flue Diameter (mm)
Appliance dimension	970	1245	435	75	50
Glass dimension	505	800	N/A		

Technical Information

Gas Input MJ/h Low	Gas Input MJ/h High	kW Output	Gas Type
14	35	8.3	NG & LPG

Room Sizing

Heats upto Capacity (m2)			
Very Cold	Cold	Cool	Mild
70	83	112	128

- 10 Year Heat Exchanger Warranty
- 2 Year Parts and Labour Warranty

Pages from Rinnai's own specification. Ask us about this product, we're happy to help.
Romano Indoor & Outdoor Solutions, 4/126 Canterbury Rd, Kilsyth South VIC 3137. 03 9720 4633. sales@romanoios.com.au