ROMANO
Indoor & Outdoor Solutions

SPEC SHEET

RINNAI / GAS FIREPLACE

SS850 Gas Fireplace (Inbuilt)



RANGE
SS Series
TYPE
Gas fireplace
WIDTH
86.5 cm
FUEL
Gas
OUTPUT OR CAPACITY
6.6 kW
ENERGY RATING
3.9 star
FINISHES
Black
CODE
SS850ICA

WARRANTY (DOMESTIC USE)

Heat exchanger: 10 years (pro rata) / Parts and labour: 1 year

Conditions: domestic use; installed by a licensed tradesperson to Rinnai's instructions; heat exchanger cover is pro rata after the first years where stated. Summary of the Rinnai warranty booklets, checked 7 November 2026. Full terms from Romano or the brand.


FEATURES

- Classic square format fireplace, 865 mm wide
- Installs into an existing masonry fireplace or a mock chimney
- Premium classic fascia available for traditional homes
- Room sealed direct vent flue with mesh heat shield
- Infrared remote included, optional Wi-Fi kit

DIMENSIONS

The dimension drawing and full specifications from Rinnai follow on the next page.

Rinnai



SS850 Inbuilt



SS850 Inbuilt


Inspired by the much-loved Rinnai Sapphire, the SS850 is a stylish and versatile gas fire that is perfect for most homes. The modernised aesthetic, and the replacement of the glass heat shield with a barely visible mesh will ensure the SS850 will be another firm favourite Rinnai gas fire.

Features

- 3.9^ star energy efficiency
- High maximum heat output of 6.6 kW
- Premium Classic Fascia available for villa-style living spaces
- Subtle mesh heat shield
- Direct vent, room-sealed flue system
- Flue system options; vertical colinear flexi flue, or ridged coaxial
- Flexible install options, masonry inbuilt or into mock chimney
- Capable to be Wi-Fi enabled (with the addition of the Wi-Fi module)
- Available in LPG and Natural Gas
- Includes 'simple-to-use' infrared remote control

Dimensions

Mock Chimney Coaxial System



Masonry Colinear System

