ROMANO
Indoor & Outdoor Solutions

SPEC SHEET

CLARK / LAUNDRY TROUGH

Eureka 45 Litre Tub and Cabinet



RANGE
Eureka
TYPE
Laundry trough
BOWLS
Single
MATERIAL
Stainless steel
TAP HOLES
Optional
FINISHES
Stainless steel
CODE
8051.1L / 8051.1R / F8011 / 8011

WARRANTY (DOMESTIC USE)

Laundry tub: Lifetime cover for replacement product or parts only; 1 year cover for labour / Tub cabinet: 5 years cover for replacement product or parts only; 1 year cover for labour

Conditions: Covers defects from faulty materials or workmanship only; Not covered: misuse, accidents, harsh conditions or repairs by anyone other than a licensed agent; Scratching and general surface wear from normal use are excluded from the finish cover. Summary of the Caroma Warranty Conditions, version 16, effective 1 April 2026 (PDF: cdn.caroma.com Update, checked 7 November 2026. Full terms from Romano or

FEATURES

- 45 litre tub in a white Permacoat cabinet
- Single or concealed by-pass, basket waste and child resistant latch included
- Standard and compact widths
- Described by the brand as among its most popular tub and cabinet units

DIMENSIONS

The dimension drawing and full specifications from Clark follow on the next page.

Flat Pack Tub & Cabinet Assembly Instructions


(see reverse for part numbers)

CAUTION: Whilst all care is taken during the manufacture of this product there may be sharp edges on some of the steel components. It is, therefore, recommended that to prevent injury suitable gloves are worn whilst assembling this product.

CLARK® Part of my life.


The Cabinet has been manufactured from quality materials.To ensure you receive the Cabinet in the same quality that it left our plant, it has been covered with a protective plastic material. Please remove this before assembly.

1




Slide one Front/Rear Head Panel (2) onto Side Panels (1) and snap Panel Fixing Clips (3) into place.

2




Slide both Kick Panels (4) (Front and Rear) onto the 3 tabs in the bottom corners of the side panels.

3




Using the Hinge Base (5) as an assembly aid flatten the 8 base tabs to lock the panels together.

4




Press fit the Hinge Base (5) into the corresponding hole in the side panel on the side you would like the door to hinge.

5




Insert the Hinge Rod (6) through the holes on the Door Assembly (7).

6




Align and insert the Door Assembly (7) with the corresponding holes in the Hinge Base (5).

7




Align the second Front/Rear Head Panel (2) with the Side Panels (1) and slide over the Door Hinge Rod (6). Snap the remaining two Panel Fixing Clips (3) into position.

8




Install Waste and Bypass fittings supplied with Tub. Position Tub (8) on top of the Cabinet Assembly.

9



Optional: Install Floor Panel (9). The panel fits over both of the Kick Panels.

10




Optional: Snap fit the Detachable Child Lock (10) into the Door Handle.

11



Your Tub and Cabinet assembly is now ready for installation by a licensed plumber.

Flat Pack Tub & Cabinet Assembly Instructions



No.	Parts List:	Qty
1	Side Panel	2
2	Front/Rear Head Panel	2
3	Panel Fixing Clips	4
4	Front/Rear Kick Panel	2
5	Hinge Base	1
6	Door Hinge Rod	1
7	Door Assembly (Includes Door, Handle and Magnetic Strips)	1
8	Tub	1
9	Floor Panel (Optional)	1
10	Child Lock (Optional)	1

CLARK | Part of my life.

Pages from Clark's own specification. Ask us about this product, we're happy to help.
Romano Indoor & Outdoor Solutions, 4/126 Canterbury Rd, Kilsyth South VIC 3137. 03 9720 4633. sales@romanoios.com.au