ROMANO
Indoor & Outdoor Solutions

SPEC SHEET

CAROMA / WALL FACED TOILET WITH IN-WALL CISTERN

Urbane II Invisi Series II Wall Faced Suite



RANGE
Urbane II
TYPE
Wall faced toilet with in-wall cistern
TRAP
S and P
S-TRAP SET-OUT
60 to 120 mm
PAN
Rimless
SEAT
Soft close quick release
FLUSH
4.5/3 litres
WELS RATING
4 star
COLOURS
Gloss White
CODE
746280W

WARRANTY (DOMESTIC USE)

Pan and cistern: 20 years (replacement product or parts) / Seat: 5 years / Valve washers: 1 year parts and labour / Labour: 1 year

Conditions: installed by a licensed plumber to Australian standards; proof of purchase; original owner. Summary of the Caroma warranty v16 (April 2026), checked 7 November 2026. Full terms from Romano or the brand.

FEATURES

- Concealed Invisi Series II cistern for in-wall, in-ceiling, induct or under counter installs
- Rimless Cleanflush bowl
- Rough-in and fit-out kits included, buttons sold separately
- Easy height pan, 440 mm

DIMENSIONS

The dimension drawing and full specifications from Caroma follow on the next page.

Revision: 1
Date: 5/11/2021

Supersedes all previous issues

Urbane II Cleanflush™ Invisi II

4.5/3 litre Dual Flush Toilet Suite with Urbane Cleanflush™ Wall Faced Rimless Vitreous China Pan and Invisi II Cistern for Inwall, Under Counter, Induct or Inceiling applications



GERMGARD® ANTIBACTERIAL PROTECTION

cleanflush

WATER RATING www.waterrating.gov.au 3.5 litres average flush 4.5 L per full flush / 3 L per half flush In accordance with AS/NZS 6400 Licence No. 0001 Caroma Industries Limited

CAROMA

Urbane II Cleanflush™ Invisi II

4.5/3 litre Dual Flush Toilet Suite with Urbane II Cleanflush™ Vitreous China Wall Faced Rimless Pan and Invisi II Cistern for Inwall, Under Counter, Induct or Inceiling applications

cleanflush



Pictured with Caroma Vogue soft close seat


GERMGARD® ANTIBACTERIAL PROTECTION


Combining universal design and rimless pan technology, the **Urbane II Cleanflush™** is a superior flushing system suitable for domestic and commercial applications. Incorporating several patented technologies: Caroma Flow Splitter™, Caroma Flow Balancer™ and Caroma Uni-Orbital® Connector, the Cleanflush pan is innovative and the next evolution in toilets. The Flow Splitter evenly flows water around the top of the bowl to meet at the Flow Balancer which directs the water powerfully into the sump, reducing the need for brush cleaning. The rimless pan is easy to clean and unlike traditional pan profiles, provides full visibility of any grime build up. Caroma Cleanflush™ provides a cleaner clean for peace of mind. The adjustable flush pipe is a new feature for the Invisi II system. If the pan inlet hole is higher than the flush pipe due to floor tiling height variations, the flush pipe can be raised by up to 25mm.


Pan:	**Urbane II Cleanflush™** wall faced back inlet 4.5 litre full flush rimless pan.
Traps:	Universal trap for S or P-trap installations.
Inlet:	Fully glazed 50mm back inlet for concealed cistern.
Cisterns and Flushvalves:	**Invisi II Cistern** – suitable for inwall, under counter, induct and inceiling applications. The Vogue Round Push Buttons and Access Plate (supplied separately) are available in 5 finishes: Chrome (C), Black (B), Brushed Brass (BB), Brushed Nickel (BN) and Gunmetal Grey (GM). Code No.687071.
Fixing:	The pan can be fixed to the floor by either bedding into mortar or using the supplied D82 Concealed Fixing Bracket.
Seats:	The **inVogue** soft close quick release thermoset toilet seat with GermGard® Antibacterial Protection; a unique technology which kills harmful bacteria, is provided as standard with seat caps in Stainless Steel (SS). Optional seat caps are available in 3 finishes, Brushed Brass (BB), Black (B) or Gunmetal Grey (GM). Code No.254213.
Colours:	White only.
Installation:	The installation of the toilet suite shall be in accordance with the normal minimum drainline grade requirements in AS/NZS 3500.2.
Dimensions:	All dimensions are in millimetres and are subject to normal manufacturing variations. Caroma pursues a policy of continuing improvement in design and performance of its products. The right is therefore reserved to vary specifications without notice.

Urbane II Cleanflush™ Invisi II Wall Faced Suite Inwall/Under Counter Installations

Urbane II Cleanflush™ Invisi II 4.5/3 litre Wall Faced Toilet Suite with Back Inlet Pan, Internal Overflow Cistern and Seat with Stainless Steel Seat Caps:	**Code No.**
Inwall/Under Counter/Induct/Inceiling with inVogue Soft Close Quick Release Seat	746280W
Button options: see 6.15.1	







Note: access to cistern internals can be achieved through either front or top mount button plate option.

Caroma Industries Limited ABN 35 000 189 499 **Sales Offices in all States.**