ROMANO
Indoor & Outdoor Solutions

SPEC SHEET

FIENZA / CLOSE COUPLED TOILET SUITE

Stella Close Coupled Toilet Suite



RANGE
Stella
TYPE
Close coupled toilet suite
TRAP
S and P
PAN
Rimless
SEAT
Soft close
FLUSH
4.3/2.8 litres
WELS RATING
4 star
COLOURS
Gloss White
CODE
K009

WARRANTY (DOMESTIC USE)

Vitreous china pan and cistern: 5 years, plus 1 year labour / R&T in-wall cistern tank and frame: 5 years, plus 1 year labour / Cistern valves: 3 years, plus 1 year labour / Seat: 1 year

Conditions: installed by a licensed tradesperson; proof of purchase; original owner. Summary of the Fienza warranty (from 1 September 2023), checked 7 November 2026. Full terms from Romano or the brand.

FEATURES

- Rimless, hygienic flush pan
- Extra height pan
- Chrome flush buttons
- Concealed pan for easy cleaning
- PP soft close seat

DIMENSIONS

The dimension drawing and full specifications from Fienza follow on the next page.

fienza

INSTALLATION GUIDE

Stella

CLOSE-COUPLED TOILET SUITE

K009

Rimless | Extra Height | Soft Close

WELS 4 Star - 4.3L/2.8L (3.1L avg/flush)

- Boxed rim pan
- Gloss white finish
- Rimless hygienic flush
- Extra height pan
- Chrome flush buttons
- PP soft close seat
- High quality, R&T flush mechanism
- Left OR right bottom inlet
- P-Trap outlet
- Floor mounting screws included


WATER RATING www.waterrating.gov.au 3.1 litres average flush Licence No. 0252 Fienza

CHECK GOODS THOROUGHLY BEFORE INSTALLATION

Installation of received goods that are damaged, warped or faulty will void warranty. Ensure all items meet your plumbing requirements.

PLEASE LEAVE THIS GUIDE WITH THE OWNER





Parts List

Description	Item Code
Pan (P-Trap) & Seat	K009-PPS
Pan (S-Trap) & Seat	K009-PS
Seat	K009-SEAT
Cistern	K009-C
Cistern Bolts	201036
Flush Buttons	202073
Pan Fixing Kit (Screws, Brackets, etc.)	206344
Rubber Donut	200160
R&T Inlet Bottom Inlet	200126
R&T Outlet Valve	202091
R&T Outlet Washer	200828
Cistern Blank	200125

All installations should be carried out by a qualified tradesman in compliance with the National Plumbing & Drainage Code and any State or Local Authority Regulations, in accordance with AS/NZS 3500 series of standards and AS/NZA 6400. All measurements are in millimetres and are subject to change without notice. For ceramic products, please allow +/- 10 mm tolerance for manufacturing variance. Please refer to fienza.com.au for the latest product specification.

Pages from Fienza's own specification. Ask us about this product, we're happy to help.
Romano Indoor & Outdoor Solutions, 4/126 Canterbury Rd, Kilsyth South VIC 3137. 03 9720 4633. sales@romanoios.com.au

fienza INSTALLATION GUIDE

Cistern Installation

1. Attach cistern bolts to pan. Tighten from underneath.



2. Ensure outlet rubber is fitted to cistern.



3. Sit cistern onto pan.



4. Use supplied bolts to fasten cistern to pan.



5. **BOTTOM INLET SETUP:** Attach external flexi hose (not supplied) to bottom connector and inlet.



All installations should be carried out by a qualified tradesman in compliance with the National Plumbing & Drainage Code and any State or Local Authority Regulations, in accordance with AS/NZS 3500 series of standards and AS/NZA 6400. All measurements are in millimetres and are subject to change without notice. For ceramic products, please allow +/- 10 mm tolerance for manufacturing variance. Please refer to fienza.com.au for the latest product specification.

Pages from Fienza's own specification. Ask us about this product, we're happy to help.
Romano Indoor & Outdoor Solutions, 4/126 Canterbury Rd, Kilsyth South VIC 3137. 03 9720 4633. sales@romanoios.com.au